



FEATURES

- Transmits HDMI video and audio signals up to 150m over a single CAT6 cable;
- Support video resolution up to 1920*1080P@60Hz ;
- Support keyboard and mouse ;
- Support over TCP/IP ;
- Compliance with HDMI 1.3 and HDCP 1.2 standard ;
- High compatibility, can auto-match source and display device ;
- Built-in automatic adjustment system, make the image smooth, clear and stable ;
- Simple to install, plug and play.

Newbridge®The extender provides extension of HDMI signals long distances over a single CAT6 cable, it supports high resolution up to 1080P, KVM signal transmission. The extender can use for a wide range of applications requiring long distance transmission of high resolution with high quality by its good stability and powerful security.

Specifications

| | Parameter | Description |
|-------|---------------------|--------------------|
| Video | Standards | HDMI 1.3; HDCP 1.2 |
| | Maximum pixel clock | 165MHz |
| | Maximum data rate | 6.75Gbps |
| | Resolution | 1920X1080P@60Hz |



Shenzhen Newbridge Communication Equipment CO., LTD.

HDMI KVM Extender

ND8110HEK-120




| | Connector | HDMI-A |
|-------|-----------------------|--|
| | Impedance | 100Ω |
| USB | Interface | USB: Mini USB interface is connected to PC K/M: connect USB keyboard and mouse; |
| 030 | USB signal | HID Signal |
| UTP | Interface | RJ45 |
| | Transmission distance | CAT6150m CAT5E120m |
| Other | Power supply | The power adapter: DC 5V |
| | Power dissipation | MAX 5W |
| | Temperature | Operating: -5℃ ~ +70℃ |
| | Humidity | Operating: 5% ~ 90% |
| | Dimension | 121*94*25mm |
| | The warranty | 1 year free warranty |




Panel

Transmitter:



Receiver:



| Port name | Description |
|---------------|--------------------------------------|
| HD IN/HD OUT | HDMI signal input/output |
| UTP | RJ45 port connect cat6. |
| USB | USB cable connect to PC |
| KVM | connect to keyboard and mouse |
| RESET | System reset button, press 5 seconds |
| DC 5V | Power adapter socket |
| LED indicator | Description |
| PWR | System power indicator |
| STA | Video signal indicator. |




HDMI KVM Extender

ND8110HEK-120


R

Application

One to one application



one to many application



Order Information

| Part No | Description of product | Unit |
|---------------|--|------|
| ND8110HEK-120 | HDMI kvm extender,150m,HDMI 1.3; HDCP 1.2,5V1A/DC, up to | pair |
| | 1920*1080/60Hz | |

